

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21970	((network near4 print\$5) or print\$5 or calibrat\$5) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:39
L2	879	1 and (print\$5 near4 job near5 manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:54
L3	5	2 and (transfer\$5 with print\$5 near3 job with (busy or incapable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:41
L4	82	2 and (print\$3 near5 (busy or incapable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:41
L5	57	4 and (transfer\$5 near4 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:48
L6	0	5 and (print\$5 near5 calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:48
L7	0	5 and (calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:48
L8	2	4 and (print\$5 near5 calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:50
L9	1	"6048117".pn. and status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:50
L10	37	(calibrat\$5 near5 status near3 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:54
L11	8	(calibrat\$5 near5 status near3 print\$5) same (stor\$5 or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:56

L12	8	10 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:56
L13	154	(calibrat\$5 with status with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:57
L14	6	13 and (print\$5 near4 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:00
L15	19282	network\$5 near3 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:01
L16	0	15 and (busy with calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:02
L17	3	15 and (busy same calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:01
L18	10	15 and ((busy or execut\$5 or perform\$5 or occup\$5) with calibrat\$6 with status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:04
L19	9	15 and (interrupt\$5 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:08
L20	9	15 and ((interrupt\$5 or disrupt\$5 or non-disrupt\$5) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:10
L21	361	print\$5 and ((interrupt\$5 or disrupt\$5 or non-disrupt\$5) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:12
L22	1	21 and (transfer\$5 near4 job with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:11

L23	19	21 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:21
L24	0	"5920405".pn. and ((multipl\$5 or plural\$5) near3 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:21
L25	2	"5920405".pn. and (printers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:24
L26	109	(network with calibrat\$5 with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:38
L27	4	26 and (transfer\$5 near5 print\$5 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:29
L28	1	26 and (calibrat\$5 with (offline or off-line or (off adj2 line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:32
L29	1	26 and (calibrat\$5 with (busy or offline or off-line or (off adj2 line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:38
L30	0	26 and (print\$5 with busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:30
L31	2	26 and (busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:30
L32	124	((internet or network) with calibrat\$5 with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:31
L33	1	32 and (calibrat\$5 with (offline or off-line or (off adj2 line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:32

L34	2	32 and (busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:32
L35	239	(network with (testing or calibrat\$5) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:38
L37	2	35 and ((testing or calibrat\$5) with (busy or offline or off-line or (off adj2 line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:39
L38	30	35 and (transfer\$5 with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:45
L39	0	35 and (transfer\$5 with print\$5 with another)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:39
L40	16	38 and ((multipl\$5 or plural\$5) near5 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:52
L41	1	(calibrat\$5 same ((incapab\$6 or unable or refus\$3 or reject\$5 or dismis\$5) near6 print\$5 near3 (job or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:53
L42	15	(calibrat\$5 and ((incapab\$6 or unable or refus\$3 or reject\$5 or dismis\$5) near6 print\$5 near3 (job or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:54
L43	557	(calibrat\$5 and ((incapab\$6 or unable or refus\$3 or reject\$5 or dismis\$5 or transfer\$5) near6 print\$5 near3 (job or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:55
L44	12	43 and (network with calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:03
L45	1	"5933676".pn. and (assign\$5 or transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:04

L46	2	"5933676".pn. and (calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:06
L47	2	"5933676".pn. and (calibrat\$5 same receiv\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:06
L48	1	"5933676".pn. and (calibrat\$5 same job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"7" and ((assign\$5 or transfer\$5) near4 job near4 calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:34
L2	13453	((calibrat\$5 or print\$5) near4 server) 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:43
L3	1	L2 and ((assign\$5 or transfer\$5) near4 job near4 calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:34
L4	733	L2 and ((assign\$5 or transfer\$5) near4 job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:34
L5	17	L2 and (((assign\$5 or transfer\$5) near4 job) same (busy or calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:41
L6	2	L2 and (((assign\$5 or transfer\$5) near4 job) same (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:47
L7	13326	((print\$5) near4 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:44
L8	399	7 and (print\$5 near4 job near4 transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:45
L9	6	8 and (print\$5 near5 calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:47
L10	8	8 and (calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:47
L11	10	((transfer\$5) near4 print\$5 near3 job) same (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:50

L12	5	((request) near4 print\$5 near3 job) same (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:53
L13	4446502	((request) near4 print\$5 near3 job) during (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:53
L14	0	((request) near4 print\$5 near3 job) with during with(calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:53
L15	0	((request) near4 print\$5 near3 job) with during with (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:53
L16	4	((request) near4 print\$5 near3 job) with (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:56
L17	1	16 and (transfer\$5 with job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:57
L18	136	((print\$5 near3 job) with (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:03
L19	26	18 and (transfer\$5 with job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:00
L20	17	19 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:00
L21	9	19 not "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:00
L22	396	((print\$5 near5 (reject\$5 or disallow\$5 or allow\$5 or permit\$5 or transfer\$5 or assign\$5)) with (calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:06

L23	184	22 and ((memory or stor\$5) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:07
L24	53	23 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:18
L25	14	24 and (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:27
L26	0	(transfer\$5 near6 print\$5 near6 busy) same calibrat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:32
L27	0	(transfer\$5 near6 print\$5) same busy same calibrat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:32
L28	173	(transfer\$5 near6 print\$5) and (print\$5 near6 calibrat\$6) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:33
L29	23	(transfer\$5 near6 print\$5 near job) and (print\$5 near6 calibrat\$6) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:33
L30	106	(transfer\$5 near6 print\$5 near (data or job)) and (print\$5 near6 calibrat\$6) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:33
L31	90	(transfer\$5 near6 print\$5 adj2 (data or job)) and (print\$5 near6 calibrat\$6) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:36
L32	96	((rout\$5 or transfer\$5) near6 print\$5 adj2 (data or job)) and (print\$5 near6 calibrat\$6) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 13:40
L33	18	((rout\$5 or transfer\$5) near6 print\$5 adj2 (data or job)) same (calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:04

L40	19	((rout\$5 or transfer\$5) near6 print\$5 adj2 (data or job or request)) same (calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:08
L41	0	((rout\$5 or transfer\$5) near6 print\$5 adj2 (data or job or request)) and (print\$5 with busy with (calibrat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:07
L42	0	(print\$5 with busy with (calibrat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:07
L43	950	(print\$5 with (execut\$5 or perform\$5) with (calibrat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:24
L44	32	43 and ((rout\$3 or transfer\$5) near6 print\$5 adj2 (data or job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:24
L45	52	43 and ((interrupt\$5 or prevent\$5) near4 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:26
L46	13	45 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:27